



SINCERELY COOPERATE WITH YOU IN FULL



QINGDAO GOLD-DRAGON CO.,LTD

ADD: RM1621, north building, no.63 haier road, qingdao china

TEL: 0086-532-80999608 80999626 80999627

FAX: 0086-532-80999609

E-MAIL: twmly@vip.163.com

HTTP://www.cngold-dragon.com



PETER TIAN

Managing Director

QINGDAO GOLD-DRAGON CO.,LTD

Add: RM1621, north building, no.63 haier road, qingdao china

Tel: 0086-532-80999608 80999626 80999627

Fax: 0086-532-80999609 Mobile: 0086-13708996523

E-mail: sales@cngold-dragon.com twmly@vip.163.com

Http://www.cngold-dragon.com

QINGDAO GOLD-DRAGON CO.,LTD

HARDWARE PRODUCTS





Qingdao Gold-Dragon Co.,Ltd. specializes in producing and exporting hardware, such as link chains, castors, cutting wheels, safety items, farm tools, ... we also can designing some items according customers' inquiry.

During the course of development, we adhere to the marketing spirit of “Unity, industriousness, Exploration and innovation” to improve the quality of products and to perfect our series products.

With our reliable quality, competitive prices and first-rate services, our products gets high prestige in the world.

We sincerely wish to be joined by you for further development and bright future.

» CONTENTS

• CHAINS & BLOCK	01 -- 04
• DIAMOND SAW BLADE	05 -- 06
• TCT SAW BLADE	07 -- 08
• DRILL BIT	09 -- 10
• RESIN WHEEL & SHARPENING STONE.....	12 -- 13
• HAND TOOLS	14
• CASTER	15 -- 18
• DECORATIVE TUBE	19
• KITCHEN HARDWARE.....	20 -- 26
• WELDING TOOLS	21 -- 26
• LABOR PROTECTIONS GOODS	27 -- 34
• FARM & GARDON TOOLS	35 -- 42
• HYDRAULIC JACK	43 -- 46
• RING HARDWARE	47 -- 48

CHAINS



American Standard NACM90 Coil Chain Straight link

Size: 3.0, 3.4, 3.8, 4.1, 5.4, 4.9, 5.3, 5.5, 6.4mm



American Standard NACM1996/2003 (G30/ G43/ G70) Chain

Size: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4", 7/8", 1"



DIN 763		DIN 764		Standard DIN 766		BS Standard			
Sizes mm	Weight kg/m	Sizes mm	Weight kg/m	Sizes mm	Weight kg/m	Sizes inch	long kg/m	Middle kg/m	Short kg/m
2	0.06	4	0.31	2	0.07	1/8	0.17	0.18	0.19
2.5	0.10	5	0.51	2.5	0.12	5/32	0.27	0.29	0.3
3	0.15	6	0.74	3	0.16	3/16	0.37	0.4	0.43
4	0.27	8	1.31	4	0.32	7/32	0.52	0.56	0.6
5	0.43	10	2.00	5	0.51	1/4	0.71	0.8	0.82
6	0.63	12	2.98	6	0.74	5/16	1.11	1.25	1.31
7	0.86	14	4.06	7	1.10	3/8	1.57	1.82	2
8	1.10	16	5.20	8	1.40	7/16	2.08	2.53	2.69
10	1.75	18	6.50	9	1.80	1/2	2.74	3.18	3.44
12	2.55	20	8.20	10	2.20	5/8	4.2	4.97	5.48
13	2.95	23	11.00	11	2.70	3/4	6.25	7.08	7.95
16	4.45	26	14.00	12	3.10	7/8	8.64	9.61	10.75
18	5.70	28	16.50	13	3.80	1	4.41	12.62	14.26
20	7.03	30	19.00	14	4.40				
22	8.60	33	22.50	16	5.70				
25	11.05			18	7.30				
28	13.90			20	9.00				
32	18.20			23	12.00				
				25	15 00				



DIN5687 (G80 Grade) Chain

Size: 6, 8, 10, 12, 14, 16mm

Surface treatment: self color, electric galvanized, hot dipped, yellow zinc plated available

CHAINS



Plastic chains


Size: 2mm 3mm 4mm 6mm 8mm 10mm
Material: HDPE
Color: Any color is available



PACKAGE:



ANIMAL CHAIN



PULLEY BLOCK

Black Block



GD-YJB101



GD-YJB102



GD-YJB103



GD-YJB104

SIZE (mm)	75	100	120	145	168	180	195	200	220	250	300
LOAD CAPACITY (kg)	150	150	150	150	200	200	200	200	250	250	300

SIZE (mm)	120	140	160	190	220	250	300
LOAD CAPACITY (kg)	150	150	200	200	250	250	300

Pulley Block

SIZE (inch)	LOAD CAPACITY (Ton)
2	0.25
3	0.5
4	1
5	1.5
6	2
7	3
8	4
10	5
12	6



GD-YJP101



GD-YJP102



GD-YJP103



GD-YJP104



GD-YJP105


US Type Wooden Pulley Block



GD-YJW101



GD-YJW102



GD-YJW103



GD-YJW104

SIZE: 3/8" 1/2" 5/8" 3/4" 1" 1 1/8" 1 1/4" 1 3/4" 2"

CHAIN BLOCK



Chain Block



GDCB HSZ

SIZE: 0.5T 1T 1.5T 2T
3T 5T 10T 20T



GDCB VC-A

SIZE: 0.5T 1T 1.5T 2T
3T 5T 10T 15T
20T 30T 50T



GDCB VC-B

SIZE: 0.5T 1T 1.5T 2T 3T
5T 10T 20T 30T 50T



GDCB VS

SIZE: 0.5T 1T 1.5T 2T 3T
5T 10T 20T 30T 50T

Electric Chain Block



GDCB HSY

SIZE: 1T 2T 2.5T 3T 5T



GDCB PDH

SIZE: 0.5T 1T 2T 2.5T 3T 5T



GDCB TCH

SIZE: 0.5T 1T 2T

Design and specifications are subject to change without prior notice.
Voltage: 220V/380V/415V/440V/66V

DIAMOND SAW BLADES



COLD PRESSED-SEGMENTED SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Inner Diameter(D)		Segment Height	Segment Thickness
	Inches	Metric(mm)	Inches	Metric(mm)		
GDCT101-105	4"	105	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT101-110	4.3"	110	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT101-115	4.5"	115	7/8"	22.23	7 10 12	1.9
GDCT101-125	5"	125	7/8"	22.23	7 10 12	1.9
GDCT101-150	6"	150	7/8"	22.23	7 10 12	2.0
GDCT101-180	7"	180	7/8" 1"	22.23 25.4	7 10 12	2.2
GDCT101-200	8"	200	7/8" 1"	22.23 25.4	7 10 12	2.4
GDCT101-230	9"	230	7/8" 1"	22.23 25.4	7.5 10 12	2.4
GDCT101-250	10"	250	7/8" 1-1/5" 2"	22.23 25.4 30 50	7.5 10 12	3.0
GDCT101-300	12"	300	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT101-350	14"	350	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT101-400	16"	400	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.4



COLD PRESSED-TURBO SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Inner Diameter(D)		Segment Height	Segment Thickness
	Inches	Metric(mm)	Inches	Metric(mm)		
GDCT102-105	4"	105	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT102-110	4.3"	110	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT102-115	4.5"	115	7/8"	22.23	7 10 12	1.9
GDCT102-125	5"	125	7/8"	22.23	7 10 12	1.9
GDCT102-150	6"	150	7/8"	22.23	7 10 12	2.0
GDCT102-180	7"	180	7/8" 1"	22.23 25.4	7 10 12	2.2
GDCT102-200	8"	200	7/8" 1"	22.23 25.4	7 10 12	2.4
GDCT102-230	9"	230	7/8" 1"	22.23 25.4	7.5 10 12	2.4
GDCT102-250	10"	250	7/8" 1-1/5" 2"	22.23 25.4 30 50	7.5 10 12	3.0
GDCT102-300	12"	300	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT102-350	14"	350	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT102-400	16"	400	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.4



COLD PRESSED-WAVE TURBO SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Inner Diameter(D)		Segment Height	Segment Thickness
	Inches	Metric(mm)	Inches	Metric(mm)		
GDCT103-105	4"	105	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT103-110	4.3"	110	5/8" 7/8"	16 20 22.23	7 10 12	1.8
GDCT103-115	4.5"	115	7/8"	22.23	7 10 12	1.9
GDCT103-125	5"	125	7/8"	22.23	7 10 12	1.9
GDCT103-150	6"	150	7/8"	22.23	7 10 12	2.0
GDCT103-180	7"	180	7/8" 1"	22.23 25.4	7 10 12	2.2
GDCT103-200	8"	200	7/8" 1"	22.23 25.4	7 10 12	2.4
GDCT103-230	9"	230	7/8" 1"	22.23 25.4	7.5 10 12	2.4
GDCT103-250	10"	250	7/8" 1-1/5" 2"	22.23 25.4 30 50	7.5 10 12	3.0
GDCT103-300	12"	300	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT103-350	14"	350	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.2
GDCT103-400	16"	400	7/8" 1-1/5" 2"	22.23 25.4 30 50	8 10 12	3.4



COLD PRESSED-CONTINUOUS SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Inner Diameter(D)		Segment Height	Segment Thickness
	Inches	Metric(mm)	Inches	Metric(mm)		
GDCT104-105	4"	105	5/8" 7/8"	16 20 22.23	5 7 10	1.8
GDCT104-110	4.3"	110	5/8" 7/8"	16 20 22.23	5 7 10	1.8
GDCT104-115	4.5"	115	7/8"	22.23	5 7 10	1.9
GDCT104-125	5"	125	7/8"	22.23	5 7 10	1.9
GDCT104-150	6"	150	7/8"	22.23	5 7 10	2.0
GDCT104-180	7"	180	7/8" 1"	22.23 25.4	5 7 10	2.2
GDCT104-200	8"	200	7/8" 1"	22.23 25.4	5 7 10	2.4
GDCT104-230	9"	230	7/8" 1"	22.23 25.4	5 7 10	2.4
GDCT104-250	10"	250	7/8" 1-1/5" 2"	22.23 25.4 30 50	5 7 10	3.0
GDCT104-300	12"	300	7/8" 1-1/5" 2"	22.23 25.4 30 50	5 7 10	3.2
GDCT104-350	14"	350	7/8" 1-1/5" 2"	22.23 25.4 30 50	5 7 10	3.2
GDCT104-400	16"	400	7/8" 1-1/5" 2"	22.23 25.4 30 50	5 7 10	3.4

DIAMOND SAW BLADES



LASER WELDED DIAMOND SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Segment Width (mm)	Arborsize (mm)	Segment Height (mm)
	Inches	Metric(mm)			
GDCT111-300	12"	300	2.8 3.2	25.4 20	7 10
GDCT111-350	14"	350	2.8 3.2	25.4 20	7 10
GDCT111-400	16"	400	3.2	25.4 20	7 10
GDCT111-450	18"	450	3.6	25.4 20	7 10
GDCT111-500	20"	500	3.6	25.4 20	10
GDCT111-550	22"	550	3.6	25.4 20	10
GDCT111-600	24"	600	4.5	25.4 20	10



ITEM NUMBER	Outer Diameter(D)		Segment Width (mm)	Arborsize (mm)	Segment Height (mm)
	Inches	Metric(mm)			
GDCT112-105	4"	105	2.0	22.23 20 16	7 10
GDCT112-115	4.5"	115	2.0	22.23 20 16	7 10
GDCT112-125	5"	125	2.0	22.23 20 16	7 10
GDCT112-150	6"	150	2.0	22.23 20 16	7 10
GDCT112-180	7"	180	2.3	22.23 20 16	7 10
GDCT112-200	8"	200	2.3	22.23 20 16	7 10
GDCT112-230	9"	230	2.5	22.23 20 16	7 10
GDCT112-250	10"	250	2.5	25.4 20	7 10
GDCT112-300	12"	300	2.5	25.4 20	7 10
GDCT112-350	14"	350	2.8 3.2	25.4 20	7 10
GDCT112-400	16"	400	2.8 3.2	25.4 20	7 10
GDCT112-450	18"	450	3.2	25.4 20	7 10
GDCT112-500	20"	500	3.6	25.4 20	10
GDCT112-550	22"	550	3.6	25.4 20	10
GDCT112-600	30"	600	4.5	25.4 20	10



BRAZED DIAMOND SAW BLADE

ITEM NUMBER	Outer Diameter(D)		Segment SIZE (mm)			Arborsize (mm)	Teeth Number	Core Thickness
	Inches	Metric(mm)						
GDCT121-300	12"	300	40	3.4	8.5	25.4	21	2.4
GDCT121-350	14"	350	40	3.4	8.5	25.4	21	2.4
GDCT121-400	16"	400	40	3.6	8.5	25.4	24	2.6



ITEM NUMBER	Outer Diameter(D)		Segment SIZE (mm)			Arborsize (mm)	Teeth Number	Core Thickness
	Inches	Metric(mm)						
GDCT122-300	12"	300	40	3.4	20	25.4	21	2.4
GDCT122-350	14"	350	40	3.4	20	25.4	21	2.4
GDCT122-400	16"	400	40	3.6	20	25.4	24	2.6
GDCT122-450	18"	450	40	3.8	20	25.4	28	2.8
GDCT122-500	20"	500	40	4.0	20	25.4	30	3.0
GDCT122-600	24"	600	40	4.2	20	25.4	36	3.2
GDCT122-650	26"	650	40	4.0	20	25.4 35 50	45	3.0
GDCT122-700	28"	700	40	4.0	20	25.4 35 50	45	3.0

TCT SAW BLADES



GENERAL PURPOSE OF T.C.T SAW BLADE FOR WOOD



ITEM NUMBER	Outer Diameter(D)		Body Thickness	Hole Diameter	Teeth
	Inches	Metric(mm)			
GDCT201-10024	4"	100	1.0	20 16 12.7	24T
GDCT201-11024	4 1/4"	110	1.2	20 16	24T
GDCT201-11030	4 1/4"	110	1.2	20 16	30T
GDCT201-11524	4 1/2"	115	1.2	22.23 20	24T
GDCT201-11530	4 1/2"	115	1.2	22.23 20	30T
GDCT201-12524	5"	125	1.2	22.23 20	24T
GDCT201-12530	5"	125	1.2	22.23 20	30T
GDCT201-14024	5 1/2"	140	1.3	20	24T
GDCT201-14030	5 1/2"	140	1.3	20	30T
GDCT201-15024	6"	150	1.3	20	24T
GDCT201-15030	6"	150	1.3	20	30T
GDCT201-16024	6 1/4"	160	1.3	20	24T
GDCT201-16040	6 1/4"	160	1.3	20	40T
GDCT201-18040	7"	180	1.5	25.4 20	40T
GDCT201-18060	7"	180	1.5	25.4 20	60T
GDCT201-18524	7 1/4"	185	1.5	25.4 20	24T
GDCT201-18540	7 1/4"	185	1.5	25.4 20	40T
GDCT201-19040	7 1/2"	190	1.5	25.4 20	40T
GDCT201-19060	7 1/2"	190	1.5	25.4 20	60T
GDCT201-20040	8"	200	1.6	32 30 25.4	40T
GDCT201-20060	8"	200	1.6	32 30 25.4	60T
GDCT201-21040	8 1/4"	210	1.6	32 30 25.4	40T
GDCT201-21060	8 1/4"	210	1.6	32 30 25.4	60T
GDCT201-23040	9"	230	1.7	32 30 25.4	40T
GDCT201-23060	9"	230	1.7	32 30 25.4	60T
GDCT201-25040	10"	250	1.8	32 30 25.4	40T
GDCT201-25060	10"	250	1.8	32 30 25.4	60T
GDCT201-25080	10"	250	1.8	32 30 25.4	80T
GDCT201-30080	12"	300	2.0	32 30 25.4	80T
GDCT201-300100	12"	300	2.0	32 30 25.4	100T
GDCT201-330100	13"	330	2.2	32 30 25.4	100T
GDCT201-35080	14"	350	2.2	32 30 25.4	80T
GDCT201-350100	14"	350	2.2	32 30 25.4	100T
GDCT201-40080	16"	400	2.2	32 30 25.4	80T
GDCT201-400120	16"	400	2.2	32 30 25.4	120T
GDCT201-400140	16"	400	2.2	32 30 25.4	140T
GDCT201-45080	18"	450	3.0	32 30 25.4	80T
GDCT201-450140	18"	450	3.0	32 30 25.4	140T
GDCT201-50080	20"	500	3.0	32 30 25.4	80T
GDCT201-500100	20"	500	3.0	32 30 25.4	100T
GDCT201-500120	20"	500	3.0	32 30 25.4	120T

PROFESSIONAL PURPOSE OF T.C.T SAW BLADE FOR WOOD



ITEM NUMBER	Outer Diameter(D)		Body Thickness	Hole Diameter	Teeth
	Inches	Metric(mm)			
GDCT202-10024	4"	100	1.0	20 16 12.7	24T
GDCT202-11024	4 1/4"	110	1.2	20 16	24T
GDCT202-11030	4 1/4"	110	1.2	20 16	30T
GDCT202-11524	4 1/2"	115	1.2	22.23 20	24T
GDCT202-11530	4 1/2"	115	1.2	22.23 20	30T
GDCT202-12524	5"	125	1.2	22.23 20	24T
GDCT202-12530	5"	125	1.2	22.23 20	30T
GDCT202-14024	5 1/2"	140	1.3	20	24T
GDCT202-14030	5 1/2"	140	1.3	20	30T
GDCT202-15024	6"	150	1.3	20	24T
GDCT202-15030	6"	150	1.3	20	30T
GDCT202-16024	6 1/4"	160	1.3	20	24T
GDCT202-16040	6 1/4"	160	1.3	20	40T
GDCT202-18040	7"	180	1.5	25.4 20	40T
GDCT202-18060	7"	180	1.5	25.4 20	60T
GDCT202-18524	7 1/4"	185	1.5	25.4 20	24T
GDCT202-18540	7 1/4"	185	1.5	25.4 20	40T
GDCT202-19040	7 1/2"	190	1.5	25.4 20	40T
GDCT202-19060	7 1/2"	190	1.5	25.4 20	60T
GDCT202-20040	8"	200	1.6	32 30 25.4	40T
GDCT202-20060	8"	200	1.6	32 30 25.4	60T
GDCT202-21040	8 1/4"	210	1.6	32 30 25.4	40T
GDCT202-21060	8 1/4"	210	1.6	32 30 25.4	60T
GDCT202-23040	9"	230	1.7	32 30 25.4	40T
GDCT202-23060	9"	230	1.7	32 30 25.4	60T
GDCT202-25040	10"	250	1.8	32 30 25.4	40T
GDCT202-25060	10"	250	1.8	32 30 25.4	60T
GDCT202-25080	10"	250	1.8	32 30 25.4	80T
GDCT202-30080	12"	300	2.0	32 30 25.4	80T
GDCT202-300100	12"	300	2.0	32 30 25.4	100T
GDCT202-330100	13"	330	2.2	32 30 25.4	100T
GDCT202-35080	14"	350	2.2	32 30 25.4	80T
GDCT202-350100	14"	350	2.2	32 30 25.4	100T
GDCT202-40080	16"	400	2.2	32 30 25.4	80T
GDCT202-400120	16"	400	2.2	32 30 25.4	120T
GDCT202-400140	16"	400	2.2	32 30 25.4	140T
GDCT202-45080	18"	450	3.0	32 30 25.4	80T
GDCT202-450140	18"	450	3.0	32 30 25.4	140T
GDCT202-50080	20"	500	3.0	32 30 25.4	80T
GDCT202-500100	20"	500	3.0	32 30 25.4	100T
GDCT202-500120	20"	500	3.0	32 30 25.4	120T

TCT SAW BLADES

PROFESSIONAL T.C.T SAW BLADE FOR ALUMINIUM AND PLASTIC



ITEM NUMBER	Outer Diameter(D)		Body Thickness	Hole Diameter	Teeth
	Inches	Metric(mm)			
GDCT203-11040	4 1/4"	110	1.2	20	40T
GDCT203-12540	5"	125	1.2	20	40T
GDCT203-15060	6"	150	1.3	20	60T
GDCT203-16060	6 1/4"	160	1.3	20	60T
GDCT203-18560	7 1/4"	185	1.5	25.4	60T
GDCT203-19060	7 1/2"	190	1.5	25.4	60T
GDCT203-20080	8"	200	1.5	25.4	80T
GDCT203-21060	8 1/4"	210	1.5	25.4	60T
GDCT203-21080	8 1/4"	210	1.5	25.4	80T
GDCT203-23060	9"	230	1.8	25.4	60T
GDCT203-23080	9"	230	1.8	25.4	80T
GDCT203-250100	10"	250	2.0	25.4	100T
GDCT203-250120	10"	250	2.0	25.4	120T
GDCT203-300100	12"	300	2.0	30	100T
GDCT203-300120	12"	300	2.0	30	120T
GDCT203-355100	14"	355	2.2	30	100T
GDCT203-355120	14"	355	2.2	30	120T
GDCT203-400100	16"	400	2.5	30	100T
GDCT203-400140	16"	400	2.5	30	140T

PROFESSIONAL T.C.T SAW BLADE FOR CUTTING NON-FERROUS METALS



ITEM NUMBER	Outer Diameter(D)		Body Thickness	Hole Diameter	Teeth
	Inches	Metric(mm)			
GDCT204-11040	4 1/4"	110	1.2	20	40T
GDCT204-12540	5"	125	1.2	20	40T
GDCT204-15060	6"	150	1.3	20	60T
GDCT204-16060	6 1/4"	160	1.3	20	60T
GDCT204-18560	7 1/4"	185	1.5	25.4	60T
GDCT204-19060	7 1/2"	190	1.5	25.4	60T
GDCT204-20080	8"	200	1.5	25.4	80T
GDCT204-21060	8 1/4"	210	1.5	25.4	60T
GDCT204-21080	8 1/4"	210	1.5	25.4	80T
GDCT204-23060	9"	230	1.8	25.4	60T
GDCT204-23080	9"	230	1.8	25.4	80T
GDCT204-250100	10"	250	2.0	25.4	100T
GDCT204-250120	10"	250	2.0	25.4	120T
GDCT204-300100	12"	300	2.0	30	100T
GDCT204-300120	12"	300	2.0	30	120T
GDCT204-355100	14"	355	2.2	30	100T
GDCT204-355120	14"	355	2.2	30	120T
GDCT204-400100	16"	400	2.5	30	100T
GDCT204-400140	16"	400	2.5	30	140T

T.T. SAW BLADE WITH ANTI-KICK BACK DESIGN



ITEM NUMBER	Outer Diameter(D)		B/b(mm)	d(mm)	Z
	Inches	Metric(mm)			
GDCT208-250A	10"	250	2.5 1.8	70	16+4
GDCT208-250B	10"	250	2.8 2.0	70	16+4
GDCT208-250C	10"	250	2.8 2.0	80	16+4
GDCT208-280	11"	280	2.8 2.0	80	18+4
GDCT208-300A	12"	300	2.8 2.0	60	20+4
GDCT208-300B	12"	300	2.8 2.0	70	20+4
GDCT208-300C	12"	300	2.8 2.0	80	20+4
GDCT208-350A	14"	350	3.0 2.2	30	24+6
GDCT208-350B	14"	350	3.0 2.2	70	24+6
BORE SIZE			KEY WAY		
70mm			21mm x 5mm		
80mm			12.5mm x 4mm		

DRILL BIT

HSS TWIST DRILLS



Standards :
HSS Straight Shank Twist Drill Bit (DIN338, DIN340, DIN1897, ASME B94.11M)
HSS Reduced Shank Twist Drill Bit (DIN338, ANSI ASME B94.11M)
HSS Taper Shank Twist Drill Bit (DIN345)

Manufacturing process:
Roll forged / fully Ground / Mill
Surface finish:
Bright / Black oxide / Black Flute / White shank / Rainbow

MASONRY DRILLS



Material : Carbide Tipped
Standards: Q/321181, RFD004 OR DIN8059

Surface finish
Bright / Black oxide / Black Flute / White shank / Rainbow

WOOD DRILLS



BI-METAL HOLE SAWS




DRILL BIT



GDCDH-0502

5PCS TWIST DRILL SET
Size(mm): 4,5,6,8,10mm



GDCDH-0701

7PCS TWIST DRILL SET
Size(mm): 1.5,2,3,4,5,5.5,6mm



GDCDH-0801

8PCS TWIST DRILL SET
Size(mm): 3-10x1mm



GDCDH-1304

13PCS TWIST DRILL SET
Size(mm): 1.5-6.5x0.5+3.2+4.8mm



GDCDH-1903

19PCS TWIST DRILL SET
Size(mm): 1.0-10x0.5mm



GDCDH-2104

21PCS TWIST DRILL SET
Size(mm): 1.0-10x0.5+3.2+4.2mm



GDCDH-2501

25PCS TWIST DRILL SET
Size(mm): 1.0-13x0.5mm



GDCDH-1151

115PCS HSS TWIST DRILL SET
Size(mm): A--Z, 1#--60#, 1/16--1/2



GDCDM-0402

4PCS MASONRY DRILL SET
Size(mm): 4, 5, 6, 8



GDCDM-0501

5PCS MASONRY DRILL SET
Size(mm): 4, 5, 6, 7, 8



GDCDM-0801

8PCS MASONRY DRILL SET
Size(mm): 1.0-13x0.5mm



GDCDE-1701

17PCS ELECTRIC HAMMER DRILL SET:
SET: 5x100, 6x110, 8x110, 6x160, 8x160, 10x160, 12x160, 8x210, 10x210, 12x260, 14x260
POINT CHISEL: 250, 140
FLAT CHISEL: 20X250, 20X140, 40X250



GDCDC-5301

53PCS COMBINATION DRILL SET
13pcs hss tin coated (1.5-6.5)x0.5+3.2+4.8
4pcs masonry drill 5, 6, 8, 10
5pcs 25mm bits 8pcs 50mm bits
7pcs power bits 4pcs double bits
5pcs titanium wood flat bits
5+1 hole saw 2pcs bits sleeve case



GDCDC-118

118PCS COMBINATION DRILL SET
13pcs hss titanium coated drills 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0, 6.5mm
3pcs hex shank drills tin coated 1.5, 2.0, 3.0mm
4pcs wood working drills 4.0, 5.0, 6.0, 8.0mm
5pcs wood flat bits 13, 16, 19, 22, 25mm

1pc counter sink drills, 1pc accessory, 1pc drill gauge
18pcs screwdriver bits 50mm, 18pcs screwdriver bits 25mm
30pcs screwdriver bits 50mm in plastic round holder
1pcs plastic ruler, 4pcs abrasive wheel: 13, 18 25, 25
9pcs nut driver 5, 6, 7, 8, 9, 10, 11, 12, 13mm

RESIN WHEEL



FLAT TYPE



CYMBAL TYPE



GDCT-106
resin wheel (MPA Standard)
a. for metal b. for stone
Usual Size:
4"x3/64"x5/8" 12"x1/8"x1"
4"x1/8"x5/8" 14"x1/8"x1"
4 1/2"x3/64"x7/8" 4"x1/4"x1"
4 1/2"x1/10"x7/8" 4 1/2"x1/4"x7/8"
7"x1/8"x7/8" 7"x1/4"x7/8"
9"x1/8"x7/8" 9"x1/4"x7/8"




GDET-101



GDET-102

Sanding paper



Combination sharpening stone Silicon carbide



A B C



BRUSH



Cup brush
65 2-1/2", 75 3", 85 3-2/5",
100 4", 125 5", 150 6"



Cup brush with shaft
50 2", 65 2-1/2", 75 3",



Cup brush, knotted
65 2-1/2", 75 3",
100 4", 125 5", 150 6"



Bevel brush
100 4", 115 4-1/2", 125 5"



Circular brush with shaft
40 1-1/2", 50 2", 65 2-1/2", 75 3", 100 4"



Bevel brush, knotted
100 4", 115 4-1/2", 125 5"



End brush with shaft
12, 17, 25, 30mm



Circular brush A
75 3", 100 4", 125 5", 150 6", 200 8"




Circular brush B
75 3", 100 4", 125 5", 150 6", 175 7",
200 8", 250 10", 300 12"



Wheel brush, knotted
100 4", 125 5", 150 6", 175 7", 200 8"



3x15 row / 4x15 row / 5x15 row
3x16 row / 4x16 row / 5x16 row



GD2103B 14/16KG 46x28x29 (120PCS/CTN)
GD2104B 16/18KG 46x28x33
GD2105B 18/20KG 46x28x38
GD2106B 20/22KG 46x28x43



GD5407 Brass 200PCS
GD5407A SS304 22/24KG
GD5407B Brass plated 54x31x42
GD5407C Zinc plated


Steel wire brush with wood handle/ plastic handle

Knife brush

BRUSH




Wood/plastic handle paint brush
1/4" ~6"



Paint roller
3" / 4" / 5" / 6" / 7" / 9"



GD121165C
36PCS 12/14KG 42x28x30
GD121140
72PCS 12/14KG 50x45x41



Floor brush
180x60

Yard Broom
12" 36PCS 11/12KG 43x32x44
16" 36PCS 15/16KG 43x43x44

OTHER HAND TOOLS



Caulking Guns



GDFF-221 9"
GDFF-119 13"
GDFF-110 9"
GDFF-118 9"
GDFF-120 13"
GDFF-104 9"
GDFF-404 9"
GDFF-407 13"

Hand saw blades



GDHL-101 8~12"
GDHL-102 8~12"
GDHL-103 8~12"
GDHL-104
GDHL-105
GDHL-106
GDHL-107

Hammer and axe



GDHM-101 GDHM-102 GDHM-103 GDHM-104 GDHM-105 GDHM-106

LIGHT DUTY CASTER

Furniture Casters



GDCSF01A

GDCSF01A2

GDCSF01C

GDCSF01D

GDCSF01D2

SIZE: 40 50mm ; LOAD CAPACITY: 25 30kg



GDCSF02A

GDCSF02A2

GDCSF02C

GDCSF02D

GDCSF02D2

SIZE: 30 40 50mm ; LOAD CAPACITY: 20 25 30kg

Light/Medium Duty Grey Rubber Caster



GDCSL05A

GDCSL05B

GDCSL05C

GDCSL05C2



GDCSL05D

GDCSL05D2

GDCSL05E

GDCSL05E2

SIZE: 50 65 75 100 125mm ; LOAD CAPACITY: 50 60 70 80 100kg

LIGHT DUTY CASTER



Light Duty Thermoplastic Rubber Caster



GDCSL01A

GDCSL01B

GDCSL01D

GDCSL01D2

Light Duty Polyurethane Caster



GDCSL02A

GDCSL02A2

GDCSL02B

GDCSL02D

GDCSL02D2

Light Duty Plastic Caster



GDCSL03A

GDCSL03A2

GDCSL03B

GDCSL03B2

GDCSL03D

Light Duty Rubber Caster



GDCSL04A

GDCSL04A2

GDCSL04B

GDCSL04D

GDCSL04D2

SIZE: 25 32 40 50 63 75mm ; LOAD CAPACITY: 10 16 20 30 35 50kg

HEAVY DUTY CASTER



Heavy Duty Casters with Cast Iron Wheel



Polyurethane on Polypropylene Casters with Metal



Polyurethane on Cast Iron Casters



High Temperature Nylon Wheel



HEAVY DUTY CASTER

Heavy Duty Nylon Caster



Heavy Duty Caster Polyurethane Wheel



SIZE: 100 125 150 200mm ; LOAD CAPACITY: 150 200 250 300kg

Industrial Caster Rubber/steel core Wheel



Industrial Caster White Polypropylene Wheel



SIZE: 75 80 125 160 200mm ; LOAD CAPACITY: 50 60 70 110 150 200kg

DECORATIVE TUBE

WINDOW CURTAIN ROD



Single curtain rod
28"-48"
48"-84"
84"-120"



café rod
28"-48"



Bathroom curtain rod
28"-48"
48"-84"
84"-120"



Curtain Rope



ALL KINDS OF CLEANING RODS
AND DECORATIVE TUBE:
PLASTIC PAINTED IRON ROD,
ALUMINUM ADJUSTABLE RODS,
ALUMINUM CASTING RODS,
STAINLESS RODS

COOKER



GDSA 2L ~ 40L

GDSA SERIES PRESS COOKER

Art No.	Capacity (L)	G.w/Pes (kg)	Pcs/Ctn (pcs)	Measurement (cm)
GDSA001	16CM/2L	1.15	6	60.0x20.5x37.5
GDSA002	18CM/3L	1.30	6	66.5x23.0x39.0
GDSA003	20CM/4L	1.50	6	67.5x23.5x40.5
GDSA004	22CM/5L	1.80	6	74.0x25.5x42.5
GDSA005	24CM/7L	2.20	6	79.3x27.5x47.3
GDSA006	26CM/9L	2.65	6	86.0x30.0x50.0
GDSA007	28CM/11L	2.90	4	61.5x31.5x52.0
GDSA008	30CM/15L	3.85	4	66.0x34.0x56.0
GDSA009	32CM/18L	4.60	4	69.0x35.0x59.5
GDSA010	32CM/20L	4.65	4	70.0x36.0x65.0
GDSA011	34CM/25L	5.20	3	112.5x38.0x35.5
GDSA012	34CM/30L	5.50	3	112.5x38.0x40.0
GDSA013	36CM/35L	6.20	2	80.0x40.5x43.0
GDSA014	38CM/40L	7.15	2	85.0x43.5x47.5

GDK SERIES ALUMINUM POT

Art No.	Capacity (L)	Thickness (mm)	Pcs/Ctn (pcs)	Measurement (cm)
GDK-W001	14CM	0.85	40	68.5x31.5x57.5
GDK-W002	16CM	0.85	32	80.0x37.0x52.0
GDK-W003	18CM	0.85	24	63.0x30.9x56.5
GDK-W004	20CM	0.85	24	67.5x44.5x61.5
GDK-Y001	0.75L	0.55	72	66.0x32.5x84.0
GDK-Y002	1.0L	0.55	60	62.0x45.5x64.5
GDK-Y003	1.5L	0.55	36	53.0x46.5x56.5
GDK-Y004	2.0L	0.60	24	56.0x40.5x52.5
GDK-Y005	3.0L	0.60	18	47.0x41.5x65.0
GDK-Y006	4.0L	0.65	18	66.0x46.0x54.5
GDK-Y007	6.0L	0.70	12	53.0x50.0x56.5
GDK-Y008	8.0L	0.75	12	58.5x50.3x62.0
GDK-Y009	10.0L	0.75	12	66.5x56.5x63.0

GDK-W

GDK-Y



GDSC 1 ~ 12cups

GDSC SERIES COFFEE POT

Model	G.W/N.W. (kg)	Qty (pcs)	Gift box size (cm)	Measurement (cm)
1cup	31.7/29.2	100	9x7.7x13.5	47x39.5x56
	19/17.5	60	9x7.7x13.5	47x32.5x42.5
	12/10.5	36	9x7.7x13.5	48x29x28.5
3cups	26.7/23.3	60	11.7x9.5x16	60.5x40x50
	16/14	36	11.7x9.5x16	59x37x34
6cups	22/20	36	14x10.4x20.2	86.5x33x42
	20/18	32	14x10.4x20.2	58x43.5x42
	15/13.5	24	14x10.4x20.2	58x33x42
9cups	20/18	24	16x11x23.8	66x35x49
	17/15	20	16x11x23.8	57x33.5x49
12cups	28/26	24	17x13x27.5	70x41x57
	23.5/21.5	20	17x13x27.5	67x35.5x57
	21/19.5	18	17x13x27.5	53x41x57



GDZ GB-01

GDZ GB-02

GDZ GB-03



GDZ SGB-01

GDZ SGB-02

GDZ SGB-03



GDZ SGB-25

GDZ SGB-26

GDZ SGB-27



GDZ GB-01

GDZ GB-02

GDZ GB-03



GDZ GR-505

GDZ GR-505A

GDZ GR-505-2

GDZ GR-707

GDZ SM-888

GDZ GR-168

GDZ GR-168M

GDZ JYT-0.6

GDZ JYT-0.6M

GDZ JYT-70

GDZ GR-17

GDZ GR-18

GDZ GR-15

GDZ GR-11

GDZ F-17

GDZ F-3

GDZ F-5

GDZ F-6

Welding Electrode



AWS E6013、AWS E7018、AWS E6011
2.0x300mm 2.5x300mm 3.2x350mm 4.0x400mm 5.0x400mm



CO2 gas shielded wire
AWS ER70S-6、ER70S-G、ER49-1
0.6mm,0.8mm,0.9mm,1.0mm,1.2mm,1.6mm

Face Shield



Taiwan type mask Europe type mask Handgrip mask Handgrip mask (home)



GDFS-003
40PCS 52.5x42x64cm



GDFS-005
40PCS 52.5x42x64cm



GDFS-006
40PCS 52.5x42x64cm



GDFS-123
40PCS 52.5x42x64cm



GDFH-001



GDFH-002



GDFH-003



GDFH-004



GDFH-006



GDFH-006



GDFH-007

WELDING CLAMPS



HA601 Light-duty Electrode holder 300A



HA603A American type 200A



HA602A German Type 300A



HA603B American type 600A



HA602B German Type 500A



HA603C American Type 600A



HA604 Korean Type 300A / 500A



HA605A Japan Type 300A / 400A / 500A / 600A



HA605B Japan Type 300A / 500A



HA606A Italy Type 100A

WELDING CLAMPS



HA606B Italy Type 200A



HA606C Italy Type 400A



HA606D Italy Type 150A



HA606E Italy Type 300A / 500A



HA606F Italy Type 400A / 500A



HA607 Holland Type 300A / 400A / 500A / 600A



HA709 Holland type Ground clamps 500A



HA712 Australian grounding clip



HA707 American type Ground clamps 500A



HA717A American type Ground clamps 500A

SAFETY GLASSES

WELDING GOGGLE



GDSG-130
100PCS 46x40x43cm



GDSG-131
100PCS 46x39x36cm



GDSG-132
50PCS 63x44x39cm



GDSG-135
40PCS 52.5x42x64cm

SAFETY SPECTACLE



GDSG-031
200PCS 74x37x29cm



GDSG-115
200PCS 58x36x36cm



GDSG-116
100PCS 50x33x34cm



GDSG-121
200PCS 65x34x28cm



GDSG-122
200PCS 65x34x28cm



GDSG-136
200PCS 65x34x28cm



GDSG-139
200PCS 65x34x28cm



GDSG-140
200PCS 65x34x28cm

DUST GOGGLE



GDSG-100
200PCS 50x39x40cm



GDSG-101
200PCS 55x39x45cm



GDSG-142
200PCS 55x40x44cm



GDSG-143
200PCS 55x38x40cm



GDSG-144
200PCS 55x38x40cm



GDSG-127
200PCS 55x38x40cm



GDSG-128
200PCS 55x38x40cm



GDSG-129
200PCS 55x38x40cm
(FOR SKIING)

SAFETY GLOVES



WORK GLOVES



GDG1A 10.5"
Latex coated glove



GDG1B 10.5"
PVC dotted glove



GDG3 14" / 16"
Cow split leather work glove



GDG2A



GDG2B



GDG2C

10.5" Pig split leather work glove

LATEX GLOVES



GDG4



GDG5



GDG6



GDG7

SAFETY MASK



GDDM01
Throw away mask



GDDM02-1
Respiration valve mask



GDDM02-2
Respiration valve mask



GDDM03
Dust mask




GDDM04
Dust cartridge
/Chemical cartridge



GDDM05
Composite Dust




GDFM023
Chemical respirator



GDFM027
Chemical respirator



GDFM028
Chemical respirator



GDEM01
3pcs safety set



GDEM02
Ear mask



GDEM03
Ear mask



GDEM04
Foldaway ear mask



GDEM05
Foldaway ear mask



GDEM06
Foldaway ear mask



GDEP01
Ear plug



GDEP02
Ear plug



GDEP03
Ear plug



SAFETY MASK



SAFETY HELMET



GDSH-110
40PCS 56.5x44x63.5cm

GDSH-120
40PCS 56.5x44x63.5cm

SAFETY HELMET



GDSH-104
40PCS 52x46x60cm

GDSH-109
30PCS 64x30x60cm

GDSH-118
50PCS 66x28x55cm

GDSH-123
30PCS 50x43x49cm



GDSH-105
30PCS 69x29x80cm

GDSH-111
20PCS 59x45x45cm

GDSH-119
50PCS 46x45x53cm

GDSH-122
30PCS 50x43x49cm



GDSH-124
50PCS 66x28x73cm

GDSH-146
50PCS 52x46x45cm

GDSH-152
50PCS 66x28x55cm

GDSH-155
40PCS 58x46x53cm



GDSH-133
20PCS 64x28.5x55cm

GDSH-151
20PCS 64x28.5x55cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 4 point, ratchet suspension
/ 6 points pin lock suspension
- Yellow, White, Blue, Grey, Orange, Green, Red
colour can be customized if reach our MOQ

RAINCOAT

RAINCOATS



GD-9018
0.2mm 100%PVC



GD-9017
0.2mm 100%PVC



GD-9015
0.32mm



GD-9013
0.32mm



GD-9010
0.32mm



GD-9009
0.32mm



GD-9006
0.32mm



GD-9008
0.32mm



GD-9022
0.32mm



GD-9001
0.32mm



GD-9021
with reflective stripe



GD-9022
with reflective stripe

RAINSHOES



GDRE-001



GDRE-002



GDRE-003

SAFETY VEST

SAFETY VEST



GDSV-001



GDSV-002



GDSV-003A



GDSV-003B



GDSV-004



GDSV-005



GDSV-006



GDSV-007

HIGH ALTITUDE OPERATION ANTI FALL BELT



GDAF-001



GDAF-002




GDAF-003

SAFETY SHOES



GDSE-001



GDSE-002



GDSE-003



GDSE-004



GDSE-005



GDSE-006

SHOVELS



SHOVELS



SHOVELS

S501MHG
25.5x30x97



S503MHG
23x30x97



S512GHY
19x30x97



S503J.MHY
23x29.5x97



S501MHJ
25.5x30x97



S503MHJ
23x30x97



SS503MHJ
17x22x82



S519-1MHY
27.5x33x97



SS518JY
15x21x67



SS503J.MHY
16.5x22x82



S512MHY
19x29.5x97



S503MHD
22.5x29.5x97



S503MHK
22.5x29.5x97



S501MHY
24.5x29.5x97



S503MHY
22.5x29.5x97



S501MHD
24.5x29.5x97



F102MHK
19.5x31.5x100



S603JMHY
16.3x23x84



MATCHET



M201



M201B



M203



M204



M204B



M204B-2



M204C



M205I



M206A



M206B



M208-2



M208A



M212



M213



M213B



M213C



M201



M2200



M244



M251



M252A



M702



M201



M1778C



M1778



Machete




Corn knif



Hay knif





P401
5 5.5LBS

P402
1.5 2KG
5 5.5 6 7LBS

P403
5 5.5LBS

P404
1.5 2 2.5 3KG

P406
5 LBS



P406I
5 5.5LBS

P406R
5LBS

P407
4.5 5LBS

P409
1.1 2.25KG

P410
1.5 2 2.5 3KG



P430
4LBS

P434
1 1.5 2.6KG

P412
0.8KG

P413
0.9KG

P416
0.8KG




F111
0.89KG
2 LBS

F112
2.5 LBS

F113-3T
3 LBS

F113-4T
3.5 LBS



F101

F102

F103

F105



F115

F115A

F115B

F115D



RAKE 101
12T 14T 16T

RAKE 103
8T 10T 12T 14T 16T

RAKE 105
8T 10T 12T 14T 16T

RAKE 106
10T 12T 14T

HOES



H301
2.5 3 3.5lbs



H302
2.5 3.25 3.5 4lbs



H304
2 2.25 2.5
2.75 3lbs



H305
2 2.5 3bs



H313
2lbs



H316
2.25 2.75lbs



H317
2 2.25 2.5lbs



H318
1.75 2bs



H320
3.25 3.5 3.75lbs



H324
1.5 2lbs



H326
1.125lbs



H327
0.75 1.125bs



GD-JF22
155x170mm



GD-JF26
110x192mm



GD-JF28
74x250mm



GD-JF29

GARDON TOOLS



GDGT001



GDGT002



GDGT003



GDGT004



GDGT005



GDGT006



GDGT007



GDGT008



GDGT009



GDGT010



11-A



11-B



11-C



11-D



11-E

GDGT011



12-A



12-B



12-C



12-D



12-E



12-F



12-G



12-H

12-I

GDGT012



13-A



13-B



13-C

GDGT013



14-A



14-B



14-C



14-D



14-E



14-F

GDGT014



15-A



15-B



15-C

GDGT015

HYDRAULIC JACK



标准型系列(GDST02 Series):

Model	Lifting WT (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	GR.WT. (kg)	Quantity (pcs)	Measurement (cm)
GDST0202	2	158	90	60	308	2.3	24	10	52x25.5x19
GDST0402	4	195	125	60	380	3.3	28	8	46x26.5x22.5
GDST0602	6	197	125	60	382	4.4	28	6	37x27.5x22.5
GDST0802	8	205	125	60	390	5.4	23	4	29.5x27.5x22.5
GDST1002	10	205	125	60	390	6	25	4	30.5x29.5x24
GDST1202	12	215	125	60	400	7	16	2	30.5x16.5x24
GDST1602	16	225	140	60	425	8	17	2	31.5x17x24.5
GDST2002	20	244	145	60	449	11	24	2	34.5x19.5x27
GDST2502	25	244	145	/	389	11.5	24	2	34.5x19.5x27
GDST3202A	32	285	180	/	465	13.5	30	2	37.5x19x31
GDST5002	50	300	180	/	480	30	32	1	24x22x32

GDST02B系列(GDST02B Series):

Model	Lifting WT (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	GR.WT. (kg)	Quantity (pcs)	Measurement (cm)
GDST0202B	2	181	116	48	345	2.7	28	10	52x25.5x21
GDST0402	4	195	125	60	380	3.3	28	8	46x26.5x22.5
GDST0602B	6	216	127	70	413	4.5	29	6	37x27.5x22.5
GDST0802B	8	230	147	80	457	6	26	4	29.5x27.5x26.5
GDST1002B	10	230	150	80	460	6.6	28	4	29.5x28.5x26.5
GDST1202B	12	230	155	80	465	7.8	18	2	29.5x17.5x26.5
GDST1602B	16	230	150	80	460	8.6	20	2	31.5x17.5x26.5
GDST2002	20	244	145	60	449	11	24	2	34.5x19.5x27
GDST3202A	32	285	180	/	465	13.5	30	2	37.5x19x31
GDST5002	50	300	180	/	480	30	32	1	24x22x32

标准GS/CE认证系列(GDST03 Series):

Model	Lifting Wt (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	GR.WT. (kg)	Quantity (pcs)	Measurement (cm)
GDST0203	2	158	90	60	308	2.3	24	10	52x25.5x19
GDST0303	3	195	125	60	380	3.3	28	8	46x26.5x22.5
GDST0503	5	197	125	60	382	4.4	28	6	37x27.5x22.5
GDST0803	8	205	125	60	390	5.4	23	4	29.5x27.5x22.5
GDST1003	10	205	125	60	390	6	25	4	30.5x29.5x24
GDST1203	12	215	125	60	400	7	16	2	30.5x16.5x24
GDST1503	15	225	140	60	425	8	17	2	31.5x17x24.5
GDST2003	20	244	145	60	449	11	24	2	34.5x19.5x27
GDST3203A	32	285	180	/	465	13.5	30	2	37.5x19x31
GDST5003	50	300	180	/	480	30	34	1	24x22x32

GDST03B系列(GDST03B Series):

Model	Lifting WT (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	GR.WT. (kg)	Quantity (pcs)	Measurement (cm)
GDST0203B	2	181	116	48	345	2.5	28	10	52x25.5x21
GDST0403B	4	195	125	60	380	3.3	28	8	46x26.5x22.5
GDST0603B	6	216	127	70	413	4.5	29	6	37x27.5x22.5
GDST0803B	8	230	147	80	457	5.5	26	4	29.5x27.5x26.5
GDST1003B	10	230	150	80	460	6	28	4	29.5x28.5x26.5
GDST1203B	12	230	155	80	465	7.5	18	2	29.5x17.5x26.5
GDST1603B	16	230	150	80	460	8.6	20	2	31.5x17.5x26.5
GDST2003B	20	244	145	60	449	11.5	24	2	34.5x19.5x27
GDST3003B	30	240	130	/	370	20	21	2	37.5x19x31
GDST5003B	50	300	180	/	480	30	34	1	24x22x32

HYDRAULIC JACK



双节顶系列(GDST04 Series):

MODEL	Lifting WT (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	Quantity (pcs)	Base Plate (cm)	Measurement (cm)
GDST0204	2T	165	98/92	55	410	2.9	10	97*89	60.0*21.0*20.0
GDST0404	3-4T	150	80/80	35	345	4.2	5	113*92	61.0*14.0*22.0
GDST0604	5-6T	154	80/80	40	354	5.5	3	130*107	47.0*16.0*21.0
GDST0804	8T	156	80/80	40	356	6.0	3	138*109	47.0*16.0*21.0
GDST1004	10T	225	140/140	50	560	8.5	2	150*113	36.0*18.0*25.5
GDST1204	12T	230	140/140	50	565	10.5	2	162*129	38.0*19.0*25.5
GDST1604	15-16T	232	140/140	50	567	12.0	2	173*137	38.0*19.0*25.5
GDST2004	20T	235	140/140	50	570	15.5	1	191*162	20.5*20.0*26.0
GDST3204	30-32T	250	140/140	/	530	22.0	1	220*186	24.0*22.0*27.0

改小型系列, 可带安全阀型(GDST05 Series):

MODEL	Lifting WT (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	Φ	Quantity (pcs)	Measurement (cm)
GDST0205	2	150	80	55	285	2	48	10	52x23.5x18
GDST0405	3-4	158	90	60	308	2.4	60	8	46x24.5x20
GDST0605	5-6	195	125	60	380	3.3	70	8	48x25.5x22.5
GDST0805	8	197	125	60	382	4	75	6	38x25.5x22.5
GDST1005	10	205	125	60	390	5	80	4	27.5x27.5x23.5
GDST1205	12	205	125	60	390	5.7	89	4	29.5x29.5x23.5
GDST1605	15-16	210	125	60	395	6.41	95	4	31x30x24
GDST2005	20	225	140	60	425	8.8	114	2	32x19x25.5
GDST3205	30-32	245	145	/	390	10.9	121	2	35x20x27.5
GDST5005	50	285	180	/	465	20.5	140	1	23x19x31

SCREW JACK 系列 (GDST08 Series)

MODEL	Lifting Wt (ton)	MIN.H (mm)	Lifing.H (mm)	MAX.H (mm)	N.W (kg)	GR.WT. (kg)	(Pcs/20FCL)	Quantity (Pcs)	Measurement (cm)
GDST0308	3.2	220	110	330	5.2	30	3000	5	61.5x13.5x24.5
GDST0508	5	250	130	380	8	36	2000	4	61.5x13.5x28
GDST0808	8	260	140	400	9	40	1800	4	64x13.5x29
GDST1008	10	280	150	430	10.5	46	1560	4	64x17x30
GDST1008D	10	192	80	372	6.4	36	2500	5	74x18.5x22
GDST1608	16	325	180	505	13.5	30	1200	2	34x31x16.5
GDST2008	20	325	180	505	13.8	31	1160	2	34x31x16.5
GDST2508	25	262	125	387	13.5	30	1200	2	32x31x17
GDST3208	32	395	200	595	23.5	53	680	2	42x37x21
GDST3208D	32	320	180	500	14.5	44	810	2	34x37x17
GDST5008	50	452	250	702	22.5	50	720	1	46x30x23
GDST5008D	50	310	150	460	19	42	850	1	34x29x22

气动顶(Air Bottle Jack):

Model	Capacity (ton)	Min.H (mm)	Lifting H (mm)	Adjust.H (mm)	Max.H (mm)	Net Wt (kg)	GR.WT. (kg)	Quantity (pc)	Measurement (cm)
GDST1207Q	12	250	165	80	495	10	11	1	24x18x28
GDST12007Q	20	260	170	80	510	17	18	1	26x20x28
GDST2007LQ	20T(Low)	210	100	80	390	15	16	1	26x21x23
GDST3207Q	32	280	195	/	475	24.5	25.5	1	30x30x22
GDST2207Q	22	225+20		80	435+100	36	38	1	64x35x30

HYDRAULIC JACK



2 Ton series



3 Ton series

FLOOR JACK

Model	Capacity	Package	Min.H	Lifting H	Max.H	Net Wt	GR.WT.	Quantity	Measurement
	(ton)		(mm)	(mm)	(mm)	(kg)	(kg)	(pc)	(cm)
GDSTFL1A	2	Color Box	135	200	335	9.0	9.5	1	45.5x21x14.5
GDSTFL1B	2	Blow Case	135	200	335	9.0	10.0	1	48x23.5x15.5
GDSTFL2A	2	Color Box	135	200	335	8.5	9.0	1	45.5x21x14.5
GDSTFL2B	2	Blow Case	135	200	335	8.5	9.5	1	48x23.5x15.5
GDSTFL3A	2	Color Box	125	175	300	7.0	7.5	1	43x21x13.5
GDSTFL3B	2	Blow Case	125	175	300	7.0	8.0	1	45x22.5x14.5
GDSTFL4A	2	Color Box	125	175	300	6.5	7.0	1	43x21x13.5
GDSTFL4B	2	Blow Case	125	175	300	6.5	7.5	1	45x22.5x14.5
GDSTFL319	3	Color Box	192	340	532	16	18	1	59.5x19x19.2
GDSTFL320	3	Color Box	140	320	460	22	23	1	61x37.5x19
GDSTFL321	3	Color Box	135	360	495	28	29	1	67x37.5x20
GDSTFL322	3	Color Box	135	360	495	30	31	1	67x37.5x20
GDSTFL323	3	Color Box	135	360	495	32	33	1	67x37.5x20
GDSTFL324	3	Color Box	135	360	495	34	35	1	67x37.5x20
GDSTFL325	3	Color Box	135	385	520	36	37	1	77x39x21
GDSTFL326	3 fast lift	Color Box	135	385	520	36	37	1	77x39x22
GDSTFL321GS/CE	2.25	Color Box	135	360	495	29.5	30.5	1	67x37.5x20
GDSTFL324GS/CE	3	Color Box	135	360	495	35	36	1	77x39x21



Portable Hydraulic Equipment

Model	Lifting WT	Package	Min.H	Lifting H	Max.H	Net Wt	GR.WT.	Quantity	Measurement
	(lbs)		(mm)	(mm)	(mm)	(kg)	(kg)	(pc)	(cm)
GDST7804	4	Blow Case	270	117	381	15	17	1	60x34x19
GDST7810	10	Blow Case	355	137	492	27	30	1	74x40x18
GDST7804M	4	Matal Case	270	117	381	15	17	1	47x24x18
GDST7810M	10	Matal Case	355	137	492	27	33	1	73x31x18

Model	Specifications	Lifting WT	Package	Net Wt	GR.WT.	Quantity	Measurement
		(lbs)		(kg)	(kg)	(pc)	(cm)
GDST1509A	9"	1500	Color Box	17	19	1	62x62x22
GDST1509B	12"	1500	Color Box	17	19	1	68x62x22



Vehicle Positioning Jack

HYDRAULIC EQUIPMENT



	Lifting Wt	MAX.H
GDJS8802	2T	425mm
GDJS8803	3T	425mm
GDJS8806	6T	600mm



	Lifting Wt	MAX.H
GDJS8802A	2T	365mm
GDJS8803A	3T	365mm



JACK STAND

	Lifting Wt	MAX.H
GDJS8802B	2T	365



SCISSORS JACK

	Lifting Wt	MAX.H
GDSJ-750	0.75T	320mm
GDSJ-1000GS	1T	310mm
GDSJ-1500GS	1.5T	380mm
GDSJ-2000	2T	385mm



FARM JACK

	Size	MAX.H
GDFJ0820	20"	680mm
GDFJ0833	33"	700mm
GDFJ0848	48"	1070mm
GDFJ0860	60"	1350mm



ENGINE JACK

	Capacity	MAX.H
GDEJ-750	750LB	860mm
GDEJ-1000	1000LB	940mm
GDEJ-1250	1250LB	960mm
GDEJ-1500	1500LB	915mm
GDEJ-2000	2000LB	900mm

(gdej-2000 type is foldaway bracket)



PIPE BENDER

GD9912	12T
GD9916	16T



PRESS MACHINE

12T 20T 30T 50T



HYDRAULIC CRANE

	Capacity	Min/max
GD01101L	1T	0-2000mm
GD01101H	1T	0-2000mm
GD01202L	2T	0-2150mm
GD01202H	2T	0-2300mm
GD01401	4T	0-2450mm

SHACKLE



G209
US TYPE
3/16, 1/4, 5/16, 3/8.....2-1/2"



G210
US TYPE
1/4, 5/16, 3/8.....2-1/2"



G2130
US TYPE
3/16, 1/4, 5/16, 3/8.....4"



G2150
US TYPE
1/4, 5/16, 3/8.....3"



DIN82101
M5, 6, 8, 10.....M72



COMMERCIAL GALV.DEE
EUROPEAN TYPE M5, 6, 8, 10.....M50



COMMERCIAL GALV.BOW
EUROPEAN TYPE M5, 6, 8, 10.....M50



JIS TYPE SHACKLE
3/16, 1/4, 5/16.....3"



DIN82101
8, 10, 12, 16.....38mm



BS3020
1/4, 3/8, 1/2, 5/8.....1-1/2"



BS3032
1/4, 3/8, 1/2, 5/8.....1-1/2"

WIRE ROPE CLIP



DUPLEX WIRE ROPE CLIP
M4, M5, M6, M8, M10



MALLEABLE DIN741
3, 5, 6.5, 8, 10.....40mm
1/8, 3/16, 1/4, 5/16.....1 1/2"



MALLEABLE DIN1142
SIMILAR TO EN 13411-5 TYPE A
5, 6.5, 8, 10.....40mm



MALLEABLE TYPE A
6, 8, 10, 12.....50mm



MALLEABLE TYPE B
1/8, 3/16, 1/4, 5/16.....1"



MALLEABLE US TYPE
1/16, 1/8, 3/16, 1/4, 5/16.....1 1/8"



US TYPE DROP FORGED
1/8, 3/16, 1/4, 5/16.....1 5/8"



ITALIAN TYPE DROP FORGED
4, 5, 6, 8, 10.....38mm

TURNBUCKLE



TURNBUCKLE DIN1480
M6, 8, 10, 12.....M36
1-1/4", 1-1/2"



**RIGGING SCREW JAW-JAW
ACCORDING TO DIN1480**
M6, 8, 10, 12.....M30



**TURNBUCKLE DIN1480
WITH FLAT ENDS**
M12, 16, 20



**RIGGING SCREW CLOSED
BODY TURNBUCKLE**
M6, 8, 10, 12.....M39



TURNBUCKLE DIN1478
M8, 10, 12.....M30



US TYPE FEDERAL TURNBUCKLE
1/4, 5/16, 3/8.....2-3/4"



JIS FRAME TYPE TURNBUCKLE
6, 8, 9, 10, 12.....32mm
1/4, 5/16, 3/8.....1-1/4"



**COMMERCIAL TYPE
MALLEABLE TURNBUCKLE**
6x100mm 10x150mm 16x250mm 22x320mm
8x125mm 12x200mm 20x300mm 24x350mm



HAMBURGER TURNBUCKLE
M20, 24, 27, 30, 36



KOREA TYPE TURNBUCKLE
5/16, 3/8, 1/2.....1"



**ZINC ALLOY BODY
TURNBUCKLE US TYPE a**
5/32"x120mm 7/32"x170mm 5/16"x235mm
3/16"x140mm 1/4"x190mm 3/8"x270mm



**ZINC ALLOY BODY
TURNBUCKLE US TYPE b**
M5x50/70mm M8x70/110mm M12x110/130mm
M6x60/100mm M10x80/120mm

EYE BOLT AND EYE NUT



EYE BOLT & NUT DIN580/DIN582
M6, 8, 10, 12.....64



FORGED CARBON STEEL G291



SHOULDER TYPE FORGED NUT EYE BOLT

1/4"x2"	5/16"x2-1/4"	3/8"x2-1/4"	1/2"x3-1/4"	5/8"x4"	3/4"x4-1/2"	7/8"x5"	1"x6"	1-1/4"x8"	1-1/2"x15"
1/4"x4"	5/16"x4-1/4"	3/8"x4-1/4"	1/2"x6"	5/8"x6"	3/4"x6"		1"x9"	1-1/4"x12"	

THIMBLE



DIN6899 TYPE B
2.5, 3.5, 4, 5, 6.....40, 42mm



DIN6899 TYPE A
1.8, 2, 2.5, 3.5, 4, 5, 6.....24, 26mm



US TYPE G411
1/8, 3/16, 1/4,1-1/4"



**EXTRA HEAVY
DUTY G414**
3/16, 1/4, 5/16, 3/8.....2-1/4"



EUROPEAN TYPE
3, 4, 5, 6, 8.....24, 26mm



BS464
5/16, 3/8, 7/16, 1/2.....2-1/2"



TUBULAR TYPE
10, 12, 14, 16,44mm